



FIG. 2C




FIG. 3

_	7	7
		\

	The state of the s	的时间的现在分词 医克克斯氏性神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经	は、日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日	der gebei, die steht, de steht des Schausses States
	CardID	DataSourceTable	DataFieldName	ValueLookupSP
	1036	Closing3	LenderBrokerContactName	<null></null>
	1036	Closing3	LenderBrokerContactFax	<null></null>
	1036	Closing3	LenderBrokerContactEMail	<nul></nul>
1	1036	PrimaryBuyer	NameLast	<null></null>
	1036	Closing	InvestorID	'cs_v _InvestorList '+FileID
	1036	Closing3	DateReceived	<null></null>
	1036	Closing	ClosingDate	<null></null>
	1036	vwHUD901	Date1	<null></null>
	1036	Closing3	DocPrepFee	<null></null>
	1036	Closing3	ClosingCoordinationFee	<null></null>
	1036	Closing3	DocRedrawFee	<null></null>
	1036	Closing3	DocCourierFee	<null></null>
	1036	Closing3	GMDFeesTotal	<null></null>
	1036	Closing3	PreliminaryProcessorID	'cs_vl_PreliminaryProcessor '+FileID
	1036	Closing	PropertyStateID	'cs_vl_States '+FileID
	1036	Closing	MortgagePurpose	'cs_vi_MortgagePurpose '+FileID
	1036	PrimaryBuyer	NameFirst	<null></null>
	1036	Closing3	DocRushFee	<null></null>
	1036	Closing	InvestorFileNumber	SAULT >
*				

F16. 4A

$\mathcal{L}$	/
ć	7
Ç	$\sim$

ACT AND ADDRESS OF THE PARTY OF	i este estado de la companio del companio de la companio del companio de la companio della companio de la companio della compa	A COLUMN TO A COLU	1885 jaki se sa naikadhan inantank diremmandikan akamanan se dirembahan kataman kataman kataman kataman katama I LTRAI SESISTOR	LITALIS
HTMLtag	HTMLFlags	HTMLflags   HTMLdefinition	LIMITSTAIR	ונוניינומימימינים
in in it	\$   I   N >	('class:TextField', 'type:text', 'dataformat:1', 'maxlength:255', 'onchange:return formatData(this, true);')	(width:220')	LenderBrokerContactName
{   		(   triple	Cwidth: 110")	LenderBrokerContactFax
ibet	SACE >	(class: lextreid, type:(ext, dataiormal:1, maxierigul:15, orl. a ige. et al. (class: lextreid, type:	(A)	
input	<nul></nul>	('class:TextField', type:text', 'dataformat:1', 'maxength:255', 'onchange:return formatData(this, true); )	( width: 22U )	רפווחפר בי מאפר בי מו ונפרנב הימון
֓֞֝֟֝֟֓֓֓֟֟ <u>֚</u>	< III N>	(relass: TextField: Type:text', 'dataformat:1', 'onchange: return formatData(this, true);')	(width:330')	NameLast
	/ 10 10 /	Celescentronhoun (dataformat: 1. horhanne:return formatData(this, true);)	('width:330')	InvestorID
) Agg((		Control of the Control of the Second of the	('width:110')	DateReceived
ap de	< TIONS	(Lidas) Fextured, typescott, user of mineral control of the contro		CheinaDate
input	SPIT?	(class:Textfield, type:text, dataformat:3, onchange:return.romatuature, ure),)		200 Tel 180
inout	<nct^< td=""><td>('class:TextField', type:text', 'dataformat:3', 'onchange:return formatData(this, true);')</td><td>(MICH: 110)</td><td>Date</td></nct^<>	('class:TextField', type:text', 'dataformat:3', 'onchange:return formatData(this, true);')	(MICH: 110)	Date
i c	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	frease:TextField. Type:text. 'dataformet:S. 'onchange:return formatData(this, true);')	(width:110', text-align:right')	DocPrepFee
1		("class: TayField" Type: Part, "dataformat:5", "onchange: return formatData(this, true);")	(width:110', text-align:right')	ClosingCoordinationFee
3 1 1 1		Class Toyleids Functional dataformatis (inchance return formatibata(this, true);)	('width:110', text-align:right')	DocRedrawFee
E T	ANOT.	(LOSS) (And Right) (Approved to the Comment of the	(width: 110' text-alian: right)	DocCourierFee
input	SACE >	(class: lextheid, type:text, datalormatic), or triangeneral marketones, or only		CMDC DOLLOW
inorit	<note></note>	('class:TextField', 'type:text', 'dataformat:5', 'onchange:return formatData(this, true);', 'calciD:2')	(width:110, text-align:right)	GMUTEES I (C. d.)
	\	(rease: DronDown   dataformat: 1   onchange: return formatData(this, true);)	(width:55')	PreliminaryProcessorID
		(Class: Prophown   dataformat: 1   hordang: return formatData(this, true): )	('width:110')	PropertyStateID
X		Customorphism (144 females)	(width: 110)	MortgagePurpose
zelegi T	<not?< td=""><td>(COSSICUODOMI), usta unimata, una migratorio monocontrolo del como controlo del como controlo del controlo de</td><td>Cuddity 3300</td><td>NameFirst</td></not?<>	(COSSICUODOMI), usta unimata, una migratorio monocontrolo del como controlo del como controlo del controlo de	Cuddity 3300	NameFirst
inoct	SACE >	(class:TextField, type:text, 'dataformat:1, 'onchange:return formatu/atatuns, ures, /		× = 010
- Z	\	Crass: Fexfield: type:text', 'dataformat:5', 'onchange:return formatData(this, true);')	(width: 110', text-align:right')	DocRushFee
		('classe TextField' Tyne: text' 'dataformat: 1', 'maxlength: 30', 'onchange: return formatData(this, true);')	('width: 220')	InvestorFileNumber
<u>{</u>				
_ <del>*</del>				

F16.4B


sker Contact Name sker Contact Fax sker Contact eMail arower Last Name sked the cent Date cent Date cent Date cent Date cent Bate cent B	HTM cellbefinition   HTM label	HTMLabelDefinition	ion HTM labekCellDefinition	HTMLrowDefinition	HTMLfleidOrder	ToolTip	Blocked	Customer	B
(	Lander Broker Cont	1	0:	('height:22', 'class:CardRow')	ĸ	<nul></nul>	0	0	83
(height:22', class:CardRow') 85	Lender (Broker Cont.	art Fax	, ,		8	<nul></nul>	0.	0	324
(height:22, class:CardRow) 10	Lender Broker Cont	O lews te		('height:22', 'dass:CardRow')	<b>8</b>	<nul></nul>	0,	<b>o</b> .	32 32
0         (height;22', class;CardRow')         15         Select Investor froi 0         0           0         (height;22', class;CardRow')         20 <null>         0         0           0         (height;22', class;CardRow')         25         <null>         0         0           0         (height;22', class;CardRow')         35         <null>         4194304         0           0         (height;22', class;CardRow')         45         <null>         4194304         0           0         (height;22', class;CardRow')         50         <null>         4194304         0           0         (height;22', class;CardRow')         50         <null>         4194304         0           0         (height;22', class;CardRow')         55         <null>         4194304         0           0         (height;22', class;CardRow')         55         <null>         4194304         0           0         (height;22', class;CardRow')         55         <null>         4194304         0           0         (height;22', class;CardRow')         50         <null>         0         0           0         (height;22', class;CardRow')         5         <null>         0         0</null></null></null></null></null></null></null></null></null></null></null>	A LANGUAGE PARTIES AND	Act Name		('height:22', 'class:CardRow')	9	<nul.></nul.>	0	0	32
Comparison	Tought	0	Ņ.C.	('height: 22', 'class: CardRow')	15	Select Investor fro	0.7	o	327
Date   0	Dayles Bereich	) (		('height:22', 'class:CardRow')	8	<null></null>	, <b>o</b> .	₽.	88
Date         ()         ()         ((height:22, dass:CardRow)         30         <\nULL>         0         0           ()         ()         ()         ((height:22, dass:CardRow)         45         <\nULL>         4194304         0           ()         ()         ((height:22, dass:CardRow)         45         <\nULL>         4194304         0           ()         ()         ((height:22, dass:CardRow)         50         <\nULL>         4194304         0           ()         ()         ((height:22, dass:CardRow)         55         <\nULL>         4194304         0           ()         ()         ((height:22, dass:CardRow)         55         <\nULL>         0         0           pose         ()         ((height:22, dass:CardRow)         55         <\nULL>         0         0           wer         ()         ((height:22, dass:CardRow)         50         <\nULL>         0         0           wer         ()         ((height:22, dass:CardRow)         12         <\nULL>         0         0           ()         ()         ((height:22, dass:CardRow)         5         <\nULL>         0         0           ()         ()         ((height:22, dass:CardRow)         12	Closing Date	0	i :	("height:22", 'class:CardRow")	x	<null></null>	0,	0,	88
194304   1	Olch issement Date	»,c			8	<null></null>	0	0	8
Ination Fee   0   0   0   0   0   0   0   0   0	Dor Pren Fee	) ()			ဗ္က	ONUL.>	4194304	<b>o</b> ;	331
()         ()<	Clocing Condition	) Les	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4	<not?< td=""><td>4194304</td><td>0</td><td>332</td></not?<>	4194304	0	332
(0)         (0)         (height:22', class:CardRow')         50 <null>         4194304         0           (1)         (0)         (height:22', class:CardRow')         60         <null>         0         0           (2)         (0)         (height:22', class:CardRow')         65         <null>         0         0           (3)         (0)         (height:22', class:CardRow')         70         Select Purpose of N 0         0           (a)         (b)         (height:22', class:CardRow')         12         <null>         0           (b)         (height:22', class:CardRow')         42         <null>         4194304         0           Number         ()         ('height:22', class:CardRow')         5         <null>         0</null></null></null></null></null></null>	Dadram Fee	3	Ç		<b></b>	<nul></nul>	4194304	<b>o</b> ,	88
0         (height:22, class:CardRow)         55 <null>         4194304         0           0         (height:22, class:CardRow)         60         <null>         0         0           0         (height:22, class:CardRow)         70         Select Purpose of N.0         0           0         (height:22, class:CardRow)         70         Select Purpose of N.0         0           0         (height:22, class:CardRow)         12         <null>         0           0         (height:22, class:CardRow)         42         <null>         0           Number         0         ('height:22, class:CardRow)         5         <null>         0</null></null></null></null></null>	agu agu a			('height:22', 'class:CardRow')	25	<p>NUIT &gt;</p>	4194304	0	8
cessor         () <th< td=""><th></th><th>o(C</th><td>)  </td><th>('height:22', 'class:CardRow')</th><td>R</td><td><null></null></td><td>4194304</td><td><b>o</b>;</td><td>335</td></th<>		o(C	) 	('height:22', 'class:CardRow')	R	<null></null>	4194304	<b>o</b> ;	335
0         (height:22', class:CardRow')         65 <null>         0         0           0se         (height:22', class:CardRow')         70         Select Purpose of N.0         0           0         (height:22', class:CardRow')         12         <null>         0         0           Number         (height:22', class:CardRow')         5         <null>         0         0</null></null></null>	Drolminary Dropose	, C	) (C	('height:22', 'class:CardRow')	8	<null></null>	0	<b>o</b> .	336
ose         ()	Droperty State		, Q		65	<nul.></nul.>	0	0	337
0 (height:22, 'class:CardRow') 12 <null> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</null>	Mortgage Duringe	, , ,	C		2	Select Purpose of I	0.2	0	<b>8</b> 8
() (height:22', 'class: CardRow') 42 <\NULL> 4194304 0 (height:22', 'class: CardRow') 5 <\NULL> 0 0	Drimero Borrolaler	rd Name			12	ALL!	0	0	339
O (height:22', 'class: CardRow') 5 <\NUIL> 0 0	Did Fee				42	<null></null>	4194304	0	340
	Investor Loan Num	ber 0	0		رم ا	<null></null>	<b>o</b> ,	<b>o</b> į	ੜ

F16.4C

014 214

intes Tools Help  1.95.77/e5ys/ManagementY3.0.0/ClientServices.asp  1.95.77/e5ys/ManagementY3.0.0/ClientServices.asp  1.95.77/e5ys/ManagementY3.0.0/ClientServices.asp  1.95.77/e5ys/ManagementY3.0.0/ClientServices.asp  1.95.77/e5ys/ManagementY3.0.0/ClientServices.asp  1.10.		
t Name		
t Name		√
Current File Opened: TEST; 57 West: Parkway, Test  File Status (Preliminary) File Created File Status (Preliminary Data File Status (Preliminary Borrower Last Name File Status File Status File Status (Preliminary Borrower First Name File Create Documents File Status File	/ -	Closing Services for Developer Logged in as: Dev
○ File Status (Preliminary)       □ Preliminary Data         File Created       □ Investor Loan Number         File Assigned       □ Investor Loan Number         File Assigned       □ Primary Borrower Last Name         Closer Confirmation       □ Primary Borrower First Name         In Process       □ Primary Borrower First Name         In Process       □ Investor         Create Documents       □ Investor         Alerts Corrected-Recreate       □ Date Received         Proofing Completed       □ Disbur sement Date         Corrections Proofed-Recreate       □ Disbur sement Date         Package Sent       □ Disbur sement Date         Funding Number Issued       □ □ Preliminary Processor         Funding Number Issued       □ □ Property State         Cancelled       □ □ Mortgage Purpose	Recent Files:	>
Figures Sent Funding Number Funding Number Frequence Funding Number Funding Number Funding Number Funding Number Funding Number Funding Number Issued Centrelled Funding Funding Number Issued Centrelled Funding Fundi		
Closer Confirmation   Confirmation   Confirmation   Confirmation   Confirmation   Conference   Conference   Conference   Confirmation   Con	Test	
Alerts Corrected Recreate  Alerts Corrected Recreate  Prelim Figures Sent  Proofing Completed  Corrections Proofed-Recreate  Disbur sement Date  Package Sent  Funds Requested  Corrections Proofed-Recreate  Ore Disbur sement Date  Property Processor  Funding Number Issued  Correctled	Joe J.	
© Date Received  Closing Date  ate Disbur sement Date  O Preliminary Processor  O Mortgage Purpose	ABC-360	
d-Recreate  Checreate	3/12/2002	
ctions Proofed-Kecreate  Gell Gell Gell Gell Gell Gell Gell G	5/20/2002	
Requested  ON Property State  ON Property State  Siled  ON Mortgage Purpose	2	
alled South State  Color Mortgage Purpose	> ^A	
Mortgage Purpose		
	Purchase	
Lender/Broker Contact Name Jane	Jane C. Broker	,
Lender/Broker Contact Fax 5	2	
① Alerts Lender/Broker Contact eMail Jane	JaneBroker@e5ysTechnologies.com	
		-
Archived Documents	A TO	
HORD APPLICATION SPOKE TO SOME ABOUT SOM	WETHING. THIS 15OKE 15 CLOSED	
	. UPDATE TO THUS NOTE.	
SUPPLIED THE STORY DATA CARD  SUPPLIED TO THE STORY DATA CARD  SOCIMENT PACKAGE DECKETED ON 11 N. 5, 2002 9:06AM	D ERRORS, JUN 5 2002 9:06AM	
	AY 1 2002 6:14PM	
DELIVERY NOTICE PRELIM TEST NOTE		
• DELIVERY NDTICE PRELIM. TO CARI 3 MFSYSTECHNOI OGIES. CC	NOTICE OF FILE CREATION SENT TO TO CARLIGUESYSTECHNOLOGIES, COM; TO CARLIGUESYSTECHNOLOGIES, COM; TO CARLIGUES COM: CC. CARLIGU	<b>•</b>
Done		Internet
	F16.5	440

## - Dynamic Gard / Grid Congration-



FIG